

Publications.

- [1] Astala, K. On measures of noncompactness and ideal variations in Banach spaces. *Ann.Acad.Sci.Fenn., Ser. A I, Math.Diss.* 29 (1980), 1- 42.
- [2] Astala, K. and K. Vala. On the measurability of vector valued functions. *Ann.Acad.Sci.Fenn.Ser.A I, Math.* 5 (1980), 121-124.
- [3] Astala, K. On Peano's theorem in locally convex spaces. *Studia Math.* 73 (1982), 213-223.
- [4] Astala, K. A remark on quasi-conformal mappings and BMO-functions. *Mich.Math.J.* 30 (1983), 209-212.
- [5] Astala, K. and F.W.Gehring. Injectivity criteria and the quasidisk. *Complex Variables* 3 (1984), 45-54.
- [6] Astala, K. and F.W.Gehring. Quasiconformal analogues of theorems of Koebe and Hardy-Littlewood. *Mich.Math.J.* 32 (1985), 99-107.
- [7] Astala, K. and F.W.Gehring. Injectivity, the BMO norm and the universal Teichmüller space. *J. Analyse Math.* 46 (1986), 16 - 57.
- [8] Astala, K. and H.-O.Tylli. On semiFredholm operators and the Calkin algebra. *J.London Math.Soc. (2)* 34 (1986), 541-551.
- [9] Astala, K. and M.S.Ramanujan. (s)-Nuclear sets and operators. *Pac.J.Math.* vol. 127 (1987), 233-246.
- [10] Astala, K. and H.-O.Tylli. On the bounded compact approximation property and measures of noncompactness. *J.Funct.Anal.* vol 70 (1987), 388-401.
- [11] Astala, K. Selfsimilar zippers. *in Holomorphic Functions and Moduli, Vol I*, pp. 61 - 73. (1988), Springer-Verlag, New York, Berlin.

- [12] Astala, K. and J. Heinonen. On quasiconformal rigidity in space and plane. *Ann. Acad. Sci. Fenn. Ser. A. I Math.* vol. 13 (1988), 81-92.
- [13] Astala, K. Calderón's problem for Lipschitz classes and the dimension of quasicircles. *Revista Mat. Iberoamericana.* vol. 4 (1988), 469-486.
- [14] Astala, K. Quasiharmonic analysis and BMO. *in* Bounded mean oscillation in complex analysis and potential theory, pp. 9 - 19. (1989) University of Joensuu, Publications in Sciences.
- [15] Astala, K. Cauchy integrals, Lipschitz-classes and Hausdorff dimension. *in* Function Spaces, Operators and Non-linear Analysis, pp. 2 - 13. (1989) Longman Scientific & Technical, Essex, UK.
- [16] Astala, K. and H.-O. Tylli. Seminorms related to weak compactness and to Tauberian operators. *Math. Proc. Camb. Phil. Soc.* 107 (1990), 367 - 375.
- [17] Astala, K. and F.W. Gehring. Crickets, Zippers and the Bers Universal Teichmüller space. *Proc. Amer. Math. Soc.* 110 (1990), 675 - 687.
- [18] Astala, K. and P. Koskela. Quasiconformal mappings and the global integrability of the derivative. *J. Analyse Math.* 57 (1991), 203 - 220.
- [19] Astala, K. and M. Zinsmeister. Mostow rigidity and Fuchsian groups. *C.R. Acad. Sci. Paris.* 311 (1990), 301-306.
- [20] Astala, K. and M. Zinsmeister. Teichmüller spaces and BMOA. *Math. Annalen* 289 (1991), 613-625.
- [21] Astala, K., J. Fernandez and S. Rohde. Quasilines and the Hayman-Wu theorem. *Indiana Univ. Math. J.* 42 (1994), 1077-1100.
- [22] Astala, K., K. Hag, P. Hag and P. Lappalainen. Lipschitz classes and the Hardy-Littlewood property. *Monatshefte für Math.* 115 (1993), 267-279.

- [23] Astala, K. and M. Zinsmeister. Holomorphic families of quasi-Fuchsian groups. *Ergodic Th. and Dyn. Syst.* 14 (1994), 207-212.
- [24] Astala, K. Area distortion of quasiconformal mappings. *Acta Math.* 173 (1994), 37 - 60.
- [25] Astala, K. Distortion of area and dimension under quasiconformal mappings in the plane. *Proc. Nat. Acad. Sci.* 90 (1993), 11958-11959.
- [26] Astala, K., L. Päivärinta and E. Saksman. The finite Hilbert transform in weighted spaces. *Proc. Royal Soc. Edinburgh* 126A (1996), 1157-1167.
- [27] Astala, K. and M. Zinsmeister. Abelian coverings, Poincaré exponent of convergence and holomorphic deformations. *Ann. Acad. Sci. Fenn.* 20 (1995), 81 - 86.
- [28] Astala, K. and M. Zinsmeister. Rectifiability in Teichmüller theory. *in* Topics in Complex Analysis, Banach Center Publications Vol 31, pp. 45 - 52 (1995). Institute of Mathematics, Polish Academy of Sciences, Warszawa.
- [29] Astala, K. Recent connections and applications of planar quasiconformal mappings. *in* Proceedings of the II European congress of mathematicians, Budapest 1996. Progress in Mathematics, Vol. 168, pp. 36 - 51 (1998). Birkhäuser Verlag, Basel.
- [30] Astala, K. and M. Miettinen. On quasiconformal mappings and 2-D G-closure problems. *Arch. Rational Mech. Anal.* 143 (1998), 207-240.
- [31] Astala, K. Planar quasiconformal mappings; deformations and interactions. *in* Quasiconformal Mappings and Analysis: A Collection of Papers Honoring F.W. Gehring. pp. 33-54. (1998), Springer-Verlag, Berlin New York.
- [32] Astala, K. Analytic aspects of quasiconformality. *in* Proceedings of the International Congress of Mathematicians. Documenta Mathematica, Extra volume ICM 1998 Berlin, vol. II (1998), 617-626.

- [33] Astala, K., Z. Balogh and H. M. Reimann. Lempert mappings and holomorphic motions in \mathbf{C}^n . *Asterisque* 261 (1999), 1-12.
- [34] Astala, K., Iwaniec, T., Koskela, P. and G. Martin. Mappings of *BMO*-bounded distortion. *Math. Annalen* 317 (2000), 703-726.
- [35] Astala, K., Iwaniec, T. and E. Saksman. Beltrami operators in the plane. *Duke Math. Journal* 107 (2001), 27-56.
- [36] Astala, K. and G. Martin. Holomorphic Motions. *in Papers on Analysis. A volume dedicated to Olli Martio on the occasion of his 60th birthday. Report. Univ. Jyväskylä.* 83 (2001), 27-40.
- [37] Astala, K. and D. Faraco. Quasiregular mappings and Young measures. *Proc. Royal Soc. Edinburgh sect. A.* 132 (2002), 1045–1056.
- [38] Astala, K., Bonk, M. and J. Heinonen. Quasiconformal mappings with Sobolev boundary values. *Ann. Scuola Norm. Sup. Pisa Cl. Sci. (5).* 1 (2002), 687–731.
- [39] Astala, K. and V. Nesi. Composites and quasiconformal mappings: new optimal bounds in two dimensions. *Calculus of Variations and Partial Differential Equations* 18 (2003), 335-355.
- [40] Astala, K., Iwaniec, T., Martin, G. and J. Onninen. Extremal Mappings of Finite Distortion. *Proc. London Math. Soc. (3)* 91 (2005), no. 3, 655–702.
- [41] Astala, K., Lassas, M. and L. Päivärinta. Calderon's inverse problem for anisotropic conductivity in the plane. *Comm. Partial Differential Equations* 30 (2005), 207-224.
- [42] Astala, K., Iwaniec, T. and G. Martin. Pucci's Conjecture and the Alexandrov Inequality for Elliptic PDEs in the Plane. *J. Reine Angew. Math.* 591 (2006), 49-74.
- [43] Astala, K. and L. Päivärinta. Calderon's inverse conductivity problem in the plane. *Ann. of Math.* 163 (2006), 265-299.

- [44] Astala, K. and L. Päivärinta. A boundary integral equation for Calderón's inverse conductivity problem. *Proc. 7th Internat. Conference on Harmonic Analysis and Partial Differential Equations*, (El Escorial, Spain). Collect. Math. (2006), Vol. Extra, 127-139.
- [45] Astala, K., A. Clop, Mateu, J., Orobitg, J. and I. Uriarte-Tuero. Improved Painlevé Removability for Bounded Planar Quasiregular Mappings. *in Harmonic Analysis, Partial Differential Equations and Related topics. Contemporary Mathematics* 428 (2007), 1-12.
- [46] Astala, K., Faraco, D. and L. Székelyhidi. Convex Integration and the L^p -theory of Elliptic Equations. *Ann. Scuola. Norm. Sup. Pisa Cl. Sci. (5)*, Vol. VII (2008), 1 - 50.
- [47] Astala, K., Iwaniec, T., Martin, G. and J. Onninen. Schottky's Theorem on Conformal Mappings Between Annuli: A play of Derivatives and Integrals. *Contemporary Mathematics* 455 (2008), 35-39.
- [48] Astala, K., A. Clop, Mateu, J., Orobitg, J. and I. Uriarte-Tuero. Distortion of Hausdorff measures and Improved Painlevé Removability for Quasiregular Mappings. *Duke Math. Journal* 141 (2008), 539 - 571.
- [49] Astala, K., Iwaniec, T. and G. Martin. Monotone maps of R^n are quasiconformal. *Methods Appl. Anal.* 15 (2008), 31–37.
- [50] Astala, K., Iwaniec, T. and G. Martin. *Elliptic Partial Differential Equations and Quasiconformal Mappings in the Plane.*, Princeton Math. Ser. 48, Princeton University Press, Princeton, NJ, 2009.
- [51] Astala, K. and J. Jääskeläinen. Homeomorphic solutions to the reduced Beltrami equations. *Ann. Acad. Sci. Fenn. Ser.A.I Math.* 34 (2009), 607 – 613.
- [52] Astala, K., J. Gill, S. Rohde and E. Saksman. Optimal regularity for planar mappings of finite distortion. *Ann. Inst. H. Poincaré Anal. Non Linéaire.* 27 (2010), 1 – 19.

- [53] Astala, K., Iwaniec, T. and G. Martin. Deformations of Annuli with Smallest Mean Distortion. *Arch. Rational Mech. Anal.* 195 (2010), 899-921.
- [54] Astala, K., Mueller, J.L., Päivärinta, L. and S. Siltanen. Numerical computation of complex geometrical optics solutions to the conductivity equation. *Appl. Comput. Harmon. Anal.* 29 (2010), 2 - 17.
- [55] Astala, K., P. Jones, A. Kupiainen and E. Saksman. Random Curves by Conformal Welding. *C. R. Math. Acad. Sci. Paris* 348 (2010), 257–262.
- [56] Astala, K. and Koskela, P. H^p -theory for Quasiconformal Mappings. *Math. Quarterly* 7 (2011), 19-50.
- [57] Astala, K., P. Jones, A. Kupiainen and E. Saksman. Random Conformal Weldings. *Acta Math.* 207 (2011), 203 - 254.
- [58] Astala, K., Mueller, J. L., Perämäki, A., Päivärinta, L. and S. Siltanen. Direct electrical impedance tomography for nonsmooth conductivities. *Inverse Problems and Imaging* 5 (2011), 531–549.
- [59] Astala, K. Miracles of Holomorphic motions. *in All that Math. Revista Matematica Iberoamericana* (2011), pp. 9–18.
- [60] Astala, K., A. Clop, D. Faraco, J. Jääskeläinen and L. Székelyhidi Jr. Uniqueness of normalized homeomorphic solutions to nonlinear Beltrami equations. *Int. Math. Res. Notices IMRN* 18 (2012), 4101–4119.
- [61] Astala, K., Iwaniec, T., Prause, I. and E. Saksman. Burkholder integrals, Morrey’s problem and Quasiconformal mappings. *J. Amer. Math. Soc.* 25 (2012), 507-531.
- [62] Astala, K., A. Clop, X. Tolsa, I. Uriarte-Tuero and J. Verdera. Quasiconformal distortion of Riesz capacities and Hausdorff measures in the plane. *Amer. J. Math.* 135 (2013), 17–52.

- [63] Astala, K., Lassas, M. and L. Päivärinta. The Calderón's Inverse problem - Imaging and Invisibility. *in* Inverse Problems and Applications: Inside Out II. Cambridge University Press, 60 (2013), pp 1–54.
[Mathematics Sciences Research Institute publications, Berkeley; vol 60].
- [64] Astala, K., Päivärinta, L., Reyes, J.M. and S. Siltanen. Nonlinear Fourier analysis for discontinuous conductivities: Computational results. *Journal of Computational Physics* 276 (2014), pp. 74–91.
- [65] Astala, K., Faraco, D. and K.M. Rogers. Recovery of the Dirichlet-to-Neumann map from scattering data in the plane. *in* Harmonic analysis and nonlinear partial differential equations. Res. Inst. Math. Sci., RIMS Kokyuroku Bessatsu, Kyoto University B49 (2014), 65–73.
- [66] Astala, K., Iwaniec, T., Prause, I. and E. Saksman. Bilipschitz and Quasiconformal Rotation, Stretching and Multifractal Spectra. *Publ. Math. Inst. Hautes Études Sci.* 121 (2015), 113–154.
- [67] Astala, K., Iwaniec, T., Prause, I. and E. Saksman. A hunt for sharp L^p -estimates and rank-one convex variational integrals. *Filomat*, vol. 29-2, no. 2 (2015), 245–261.
- [68] Astala, K., Faraco, D. and K.M. Rogers. On Plancherel's identity for a 2D scattering transform. *Nonlinearity* 28 (2015), pp. 2721–2729.
- [69] Astala, K. and V. Manojlovic. On Pavlovic's theorem in space. *Potential Analysis*: 43 (2015), 361–370.
- [70] Astala, K., Ivrii, O., Perälä, A. and I. Prause. Asymptotic variance of the Beurling transform. *Geometric and Functional Analysis* 25 (2015) 1647–1687.
- [71] Astala, K., Faraco, D. and K.M. Rogers. Unbounded potential recovery in the plane. *Annales Sci. de Éc. Norm. Supér. (4)* 49 (2016), 1027–1051.
- [72] Astala, K., Lassas, M. and L. Päivärinta. The borderlines of invisibility and visibility in Calderón's inverse problem. *Analysis & PDE* 9 (2016) 43–98.

- [73] Astala, K. and M. J. González. Chord-arc curves and the Beurling transform. *Invent. Math.* 205 (2016) 57–81.
- [74] Astala, K., Clop, A., Faraco, D., J. Jääskeläinen and A. Koski. Nonlinear Beltrami operators, Schauder estimates and bounds for the Jacobian. *Ann. Inst. H. Poincaré Anal. Non Linéaire.* 34 (2017) 1543–1559.
- [75] Astala, K., Clop, A., Faraco, D. and J. Jääskeläinen. Manifolds of quasi-conformal mappings and the nonlinear Beltrami equation. *Journal d'Analyse Mathématique.* 139 (2019) 207–238.
- [76] Astala, K., Clop, A., Faraco, D., Jääskeläinen, J. and A. Koski. Improved Hölder regularity for strongly elliptic PDE's. *J. Math. Pures Appl* 140 (2020) 230–258.
- [77] Astala, K., Duse, E., Prause, I. and X. Zhong. Dimer models and conformal structures. [MathArXiv: 2004.02599] (2020).
- [78] Astala, K., Rohde, S. Saksman, E. and T. Tao. Homogenization of iterated singular integrals with applications to random quasiconformal maps. [MathArxiv: 2006.11602] (2020).